

MARSTELLER & ASSOCIATES

A Professional Corporation
Attorneys and Counselors
Post Office Box 803302
Dallas, Texas 75380-3302
(972) 233-0939
Fax: (972) 386-3907

**RECEIVED
CENTRAL FAX CENTER**

SEP 09 2004

Thomas F. Marsteller, Esq.
Email: TMarsteller@MarstellerLaw.com

*Patents, Trademarks
& Copyrights*

September 9, 2004

FACSIMILE TRANSMITTAL SHEET

TO:

Harry D. Wilkins III

(703) 872-9306

FROM:

T.F. MARSTELLER

000093-210

Client / Matter Number

RE: Amendment B

In re Application of: Scott R. Sehlin

Serial No.: 10/065,939

Confirmation No.: 7431

Filed: December 2, 2002

For: STEPPED VOLTAGE CONTROLLER FOR CERAMIC OXYGEN
GENERATING SYSTEMS

NUMBER OF COPIES, INCLUDING THIS TRANSMITTAL SHEET:

Legal:

Letter: 12

SEE COMMENTS BELOW

SHOULD YOU HAVE ANY PROBLEM RECEIVING OUR TRANSMISSION, PLEASE
CALL 972-233-0939.

TIME SENT: 3:33 PM

****COMMENT**:**

NO CONFIRMATION.

/000093-210/FAX ITO 090904.DOC

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.